PCT





INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5: A61L 15/46, A61K 9/22, 37/36

A1

(11) International Publication Number:

WO 90/03810

(43) International Publication Date:

19 April 1990 (19.04.90)

(21) International Application Number:

PCT/GB89/01184

(22) International Filing Date:

6 October 1989 (06.10.89)

(30) Priority data:

8823649.2

A61K 47/00

7 October 1988 (07.10.88)

GB Published

With a revised version of the international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

patent), FR (European patent), GB, GB (European patent), IT (European patent), JP, LU (European patent),

(71) Applicants (for all designated States except US): ED GEIST-LICH SÖHNE AG FÜR CHEMISCHE INDUSTRIE [CH/CH]; CH-61100 Wolhusen (CH). HOLMES, Michael, John [GB/GB]; Frank B Dehn & Co, Imperial House, 15-19 Kingsway, London WC2B 6UZ (GB).

(72) Inventor; and

(75) Inventor/Applicant (for US only): GEISTLICH, Peter [CH/CH]; Haus Seldwyla, Kehrsitenstrasse 19, CH-6362 Stansstad (CH).

(74) Agent: FRANK B DEHN & CO.; Imperial House, 15-19 Kingsway, London WC2B 6UZ (GB).

(88) Date of publication of the revised version of the international search report:

(81) Designated States: AT (European patent), BE (European patent), CH, CH (European patent), DE, DE (European

NL (European patent), SE (European patent), US.

1 November 1990 (01.11.90)

(54) Title: DELAYED RELEASE COMPOSITIONS FOR WOUND HEALING

(57) Abstract

The invention provides delayed release compositions for use in wound healing comprising a hydrogel containing one or more gellable proteins, peptides or polysaccharides interspersed with a hydrophilic polymer said hydrogel being swollen with an aqueous solution containing one or more growth factors selected from epidermal growth factor, human fibroblast growth factor, human insulin-like growth factor and platelet derived growth factor.

DESIGNATIONS OF "DE"

Until further notice, any designation of "DE" in any international application whose international filing date is prior to October 3, 1990, shall have effect in the territory of the Federal Republic of Germany with the exception of the territory of the former German Democratic Republic.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	ES	Spain	MC	Monáco
ΑU	Australia	FI	Finland	MG	Madagascar
B8	Barbados	FR	France	ML	Mali
BE	Belgium	GA	Gabon	MR	Mauritania
BF	Burkina Fasso	GB	United Kingdom	MW	Malawi
BC	Bulgaria	CR	Greece	NL	Netherlands
BJ	Benin	HU	Hungary	NO	Norway
BR	Brazil	IT	Italy	RO	Romania
CA	Canada	—:JP:	Japan	SD	Sudan
CF	Central African Republic	KP	Democratic People's Republic	SE	Sweden
CC	Congo		of Korea	SN	Senegal
СН	Switzerland	KR	Republic of Korea	รับ	Soviet Union
CM	Cameroon	LI	Liechtenstein	TD	Chad
DE	Germany, Federal Republic of	LK	Sri Lanka	TG	Togo
DK	Denmark	LU	Luxembourg	US	United States of America

INTERNATIONAL SEARCH REPORT

International Application No

PCT/GB 89/01184

I. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all) 4									
IPC5: A 61 L 15/46, A 61 K 9/22, 37/36, 47/00									
II. FIELDS SEARCHED									
Minimum Documentation Searched 7									
Classification System Classification Symbols									
	Classification Symoots								
IPC5	IPC5 A 61 K; A 61 L								
	Documentation Searched other that to the Extent that such Documents as	in Minimum Documentation re Included in the Fields Searched ^a							
	·								
III. DOCU	MENTS CONSIDERED TO BE RELEVANT								
Calegory .	Citation of Document, 11 with Indication, where appro	priste, of the relevant passages 12	Relevant to Claim No. 13						
P,Y	EP, A2, 0312208 (ETHICON INC.) 1 see page 3, lines 36-43; pag 14-59	4 April 1989, le 4, lines	1-5						
Υ .	EP, A2, 0137743 (ED. GEISTLICH S CHEMISCHE INDUSTRIE) 17 Apri see page 3, paragraph 4; cla	1-5							
Υ	DE, A1, 3744289 (POLITECHNIKA LC 14 July 1985, see the whole document	1-5							
		•							
*Special categories of cited documents: 10 "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filling date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filling date but later than the priority date claimed IV. CERTIFICATION Date of the Actual Completion of the international Search Bth December 1989 "T" later document published after the international fill or priority date and not in conflict with the application of cited to understand the principle or theory unde linvention "X" document of particular relevance; the claimed cannot be considered novel or cannot be considered to involve an inventive step document is compined with one or more other as ments, such combination being obvious to a personal filling date but later than the priority date claimed Date of the Actual Completion of the International Search Dete of Mailing of this International Search Report 18. 01, 90									
Internati	T.K. WILLIS								

International Application No. PCT/GB 89/01184

III. DOCU	DOCUMENTS CONSIDERED TO BE RELEVANT (CONTINUED FROM THE SECOND SHEET)					
Category *	*Citation of Document, with indication, where appropriate, of the relevant passages	Relevant to Claim No				
Y	EP, A2, 0272149 (COLOPLAST A/S) 22 June 1986, see column 6, lines 4-45	1-5				
						
Y	GB, A, 2146335 (EJ ASSOCIATES INC) 17 April 1985,	1-5				
	see page 3, lines 24-28, claims 7 and 12					
						
Y	EP, A2, 0267015 (ETHICON INC) 11 May 1988, see the whole document	1-5				
İ		,				
•						
	· 					
	<u>-</u> -					

ANNEX TO THE INTERNATIONAL SEARCH REPORT ON INTERNATIONAL PATENT APPLICATION NO.

PCT/GB 89/01184

SA

31524

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report. The members are as contained in the European Patent Office EDP file on 08/11/89. The European Patent Office is in no way liable for these particulars which are niercly given for the purpose of information.

Patent document cited in search report	Publication date	Patent family member(s)		Publication date	
EP-A2- 0312208	14/04/89	AU-D-	22235/88	23/03/89	
EP-A2- 0137743	17/04/85	JP-A- AU-D-	60081131 32981/84	09/05/85 11/09/86	
DE-A1- 3744289	14/07/85	GB-A-	2200643	10/08/88	
EP-A2- 0272149	22/06/86	NONE			
GB-A- 2146335 .	17/04/85	NONE			
EP-A2- 0267015	11/05/88	-A-SU -AU-D- JP-A-	4717717 80641/87 63152324	05/01/88 12/05/88 24/06/88	

8823649.2

WORLD INTELLECTUAL PROPERTY ORGAN International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5: WO 90/03810 (11) International Publication Number: **A1** A61L 15/03, A61K 9/22, 37/36 (43) International Publication Date: 19 April 1990 (19.04.90) A61K 47/00 PCT/GB89/01184 (21) International Application Number:

(22) International Filing Date: 6 October 1989 (06.10.89)

(30) Priority data: GB

(71) Applicants (for all designated States except US): ED GEIST-LICH SÖHNE AG FÜR CHEMISCHE INDUSTRIE [CH/CH]; CH-61100 Wolhusen (CH). HOLMES, Michael, John [GB/GB]; Frank B Dehn & Co. Imperial

House, 15-19 Kingsway, London WC2B 6UZ (GB).

(72) Inventor; and (75) Inventor/Applicant (for US only): GEISTLICH. Peter [CH/ CH]; Haus Seldwyla, Kehrsitenstrasse 19. CH-6362 Stansstad (CH).

(74) Agent: FRANK B DEHN & CO.; Imperial House, 15-19 Kingsway, London WC2B 6UZ (GB).

(81) Designated States: AT (European patent), BE (European patent), CH, CH (European patent), DE, DE (European patent), FR (European patent), GB, GB (European patent), IT (European patent), JP, LU (European patent), NL (European patent), SE (European patent), US.

Published With international search report.

(54) Title: DELAYED RELEASE COMPOSITIONS FOR WOUND HEALING

7 October 1988 (07.10.88)

(57) Abstract

The invention provides delayed release compositions for use in wound healing comprising a hydrogel containing one or more gellable proteins, peptides or polysaccharides interspersed with a hydrophilic polymer said hydrogel being swollen with an aqueous solution containing one or more growth factors selected from epidermal growth factor, human fibroblast growth factor, human insulin-like growth factor and platelet derived growth factor.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

					•
AT	Austria	ES	Spain	MG	Madagascar
ΑU	Australia	FI	Finland	ML	Mali
88	Barbados	FR	France	MR	Mauritania
BΕ	Belgium	GA	Gabon	MW	Malawi
BF	Burkina Fasso	GB	United Kingdom	NL	Netherlands
BG	Bulgaria	HU	Hungary	NO	Norway
BJ	Benin	rr	Italy	RO	Romania
BR	Brazil	JP	Japan	SD	Sudan
CA	Canada	KP	Democratic People's Republic	SE	Sweden
CF	Central African Republic		of Korea	SN	Senegal
CG	Congo	KR	Republic of Korea	SU	Soviet Union
ан	Switzerland	U	- Liechtenstein	TD	Chad
CM	Cameroon	LK	Sri Lanka	ŤĠ	Togo
DΕ	Germany, Federal Republic of	w	Luxembourg	us	United States of America
DK	D-nmark	MC	Моласо		•

5

DELAYED RELEASE COMPOSITIONS FOR WOUND HEALING

This invention relates to wound healing and in particular to novel delayed release compositions for use in wound healing.

A number of growth factors have been found with are able to stimulate growth of new tissues when applied to open wounds. There are problems, however, in applying such factors in the optimal way to ensure continued growth while maintaining the sterility of the wound. We have now found that certain hydrogels more particularly defined below are surprisingly more suitable than other compositions investigated for the application and sustained release of a number of polypeptide growth factors.

The growth factors here concerned include Epidermal Growth Factor, Fibroblast Growth Factor, Insulin-like Growth Factor and Platelet Derived Growth Factor.

In particular, the following Growth Factors are particularly well released by the hydrogels here concerned:

Epidermal Growth Factor - Compound 1

Asn Ser Tyr Pro Gly Cys Pro Ser Ser Tyr Asp Gly Tyr Cys Leu Asn Gly Gly Val Cys Met His Ile Glu Ser Leu Asp Ser Tyr Thr Cys Asn Cys Val Ile Gly Tyr Ser Gly Asp Arg Cys Gln Thr Arg Asp Leu Arg Trp Trp Glu Leu Arg.

Human Fibroblast Growth Factor - Compound 2

ProAlaLeuProGluAspGlyGlySerGlyAlaPheProProGlyHisPheLysAsp
ProLysArgLeuTyrCysLysAsnGlyGlyPhePheLeuArgIleHisProAspGlyArg
ValAspGlyValArgGluLysSerAspProHisIleLysLeuGlnLeuGlnAlaGluGlu
ArgGlyValValSerIleLysGlyValCysAlaAsnArgTyrLeuAlaMetLysGluAsp
GlyArgLeuLeuAlaSerLysCysValThrAspGluCysPhePhePheGluArgLeuGlu
SerAsnAsnTyrAsnThrTyrArgSerArgLysTyrThrSerTrpTyrValAlaLeuLys
ArgThrGlyGlnTyrLysLeuGlySerLysThrGlyProGlyGlnLysAlaIleLeuPhe
LeuProMetSerAlaLysSer

Human Insulin-like Growth Factor - Compound 3

Gly Pro Glu Thr Leu Cys Gly Ala Glu Leu Val Asp Ala Leu Gln Phe Val Cys Gly Asp Arg Gly Phe Tyr Phe Asn Lys Pro Thr Gly Tyr Gly Ser Ser Ser Arg Arg Ala Pro Gln Thr Gly Ile Val Asp Glu Cys Cys Phe Arg Ser Cys Asp Leu Arg Arg Leu Glu Met Tyr Cys Ala Pro Leu Lys Pro Ala Lys Ser Ala

Platelet Derived Growth Factor Compound 4

20 40 60

A-chain MRTLACLLLLCCCYLAHVLAEEAEIPREVIERLARSOLHSIADLORLLEIDSVGSEDS LDTSL B-chain MNRCWPLFLSLCOYLRLVSAEGDPIPEELYEMLSDHSIPSFDDLQRLLHGDPGEEDGAELDLNM

100 120

A-chain RAHGVHATKHVPGKRPLPIRRKRSIEEAVPAVCKTRTVIYEIPRSQVDPTSANFLIWPPCVEVKR B-chain TRSHSGGELESLARGRRSLGSLTIAEPAMIAECKTRTEVFEISRRLIDRTNANFLVWPPCVEVQR

140 160 180

A-chain CTGCCNTSSVKOOPSRVHHRSVXVAKVEYVAKKPKLKEVOVPLEEHLECACATTSLNPDYREEDT B-chain CSGCCNNRNVOORPTQVOLRPVOVRKIEIVRKKPIFKKATVTLEDHLACKCETVAAARPVTRSPG

210

A-chain GRPRESCKKAKAKALKPT

B-chain GSOEORAKTPOTRVTIRTVAVRRPPKGKHRKFKHTHDKTALKETLGA

It will be appreciated that analogues of the above growth factors, for example from different annual species which differ from the above sequences by a few amino acids, will be expected to behave in the same way in the gel formulations of the invention.

The above growth factors may be in the natural form or may be made by recombinant DNA technology. In the latter case up to 20%, e.g. 10 amino acid units, may be varied provided the growth factor activity is retained. Additional amino acids or sequences may be added at the N- and C-terminal ends, e.g. signal sequences or methionine at the N-terminal or amino acids corresponding to stop codons. Salts of the polypeptides are also included.

The above growth factors can be obtained from Amgen Inc. of Thousand Oakes, California.

The aqueous hydrogels which carry the growth factors are the hydrogels of USP 4,556,056, a commercial embodiment of which is sold under the name Geliperm, and related materials.

The hydrogels will normally comprise at least on gellable protein, polypeptide or polysaccharide interspersed with at least one hydrophilic polymer and be swollen with an aqueous solution containing one or more of the said growth factors, optionally together with nutrients and or other growth factors.

The hydrophilic polymer in the hydrogel may for example be a polymer of a hydrophilic acrylic or methacrylic acid derivative or vinylpyrrolidine. The acrylic or methacrylic acid derivative is preferably an amide, as in polyacrylamide which is the preferred polymer, or an ester with an alkanol or polyol. The chains of the polymer will normally be interspersed with the chains of the gellable substance preferably by polymerisation—in the presence of a solution

of the latter. Apart from a polymerisation initiator, a crosslinking agent such as N,N¹-methylene-bis-acrylamide may be present.

The gellable substance is preferably a polysaccharide, agar-agar being particularly preferred; of the gellable proteins, gelatin is preferred.

The water content of such a hydrogel can be very high, for example in the range of 95 to 98% by weight, preferably about 97%. Thus, the solid matrix of the gel may constitute only 2 to 5% by weight of the gel, preferably about 3%.

In general, the most preferred hydrogels comprise (a) agar-agar together with (b) polyacrylamide cross-linked with about 2% by weight of N,N-methylene bis-acrylamide, advantageously in the ratio range 1:3 to 1:4, preferably about 1:3.5. This gel, when fully swollen with water, contains about 96.5% by weight of water. A gel of this type is now commercially available from Geistlich Pharma of Wolhusen, Switzerland, under the Registered Trade Mark Geliperm.

The hydrogel will generally take the form of a sheet for use as a dressing for direct application to the wound. Such dressings have the advantage of very good compatibility and ease of removable without damage to the growing tissue. In order to accommodate exudation from the wound, the dressings may advantageously be perforated.

The aqueous medium within the gel may usefully contain the essential amino acids and trace minerals normally provided for wound alimentation.

Hydrogel dressings according to the invention may be used in surgery in the preparation of the wound base for free skin transplantation; in the treatment of the donor site after the removal of split skin grafts in plastic surgery and for covering superficial operation wounds to prevent exposed

bradytrophic tissue (tendons, periostium, bone or cartilate) from drying out. In dermatology, the hydrogel dressings may be used in the treatment of both fresh and chronic damage to the epithelium e.g. after dermal abrasion to encourage granulation and the formation of cellular tissue in chronic ulcers, especially crural ulcers, decubitus sores etc; in the treatment of patients with polyvalent allergies when other forms of dressing and external applications are contra-indicated; and in the treatment of superficial thrombo-phlebitis in combination with external therapeutic measures used in such cases.

The following Example is given by way of illustration only:

Example 1

20 g of agar-agar are suspended under agitation in 880 g of deionized water and heated to 95°C until complete dissolution. 1 litre of a second aqueous solution containing 70 g of acrylamide and 1.84 g of N,N'-methylene-bis-acrylamide is prepared at ambient temperature and added to the first solution with thorough mixing. Under continued agitation, 2.2 g of N,N,N',N'-tetrakis-(2-hydroxypropyl)-ethylene diamine dissolved in 60 g of water and then 1.26 g of ammonium peroxidisulfate dissolved in 40 g of water are added.

The mixture is poured into flat moulds (26 \times 12mm) to a depth of 3mm.

The mixture has a temperature between 50°C and 55°C and begins to polymerize immediately. After 10 minutes the gel point is reached. The batch is allowed to cool down overnight during which time polymerization is completed.

The gel is freed from soluble impurities by washing with pure flowing water for 24 hours. With this washing the gel swells to 135% of its original weight. Such sheet material is now commercially available under the name Geliperm from Geistlich Pharma of Wolhusen, Switzerland.

The gel is partially dehydrated as described in USP 4 556 056, Example 6 and immersed in a 5% solution of Epidermal Growth Factor (Compound 1) (Amgen Inc, Thousand Oakes, California) until fully swollen. After packaging in polyethylene, the sheet is sterilised by gamma radiation.

CLAIMS:

- 1. Delayed release compositions for use in wound healing comprising a hydrogel containing one or more gellable proteins, peptides or polysaccharides interspersed with a hydrophilic polymer said hydrogel being swollen with an aqueous solution containing one or more growth factors selected from epidermal growth factor, human fibroblast growth factor, human insulin-like growth factor and platelet derived growth factor.
- 2. Compositions as claimed in claim 1 in which the gellable component is agar-agar.
- Compositions as claimed in claim 1 or claim
 in which the hydrophilic polymer is polyacrylamide.
- 4. Compositions as claimed in claim 1 containing 95 to 98% by weight of water.
- 5. Compositions as claimed in claim 1 in the form of sheets for use as wound dressings.

INTERNATIONAL SEARCH REPORT

International Application No PCT/GB 89/01184

1. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all) *								
According	According to International Patent Classification (IPC) or to both National Classification and IPC IPC5: A 61 L 15/03, A 61 K 9/22, 37/36, 47/00							
II. FIELDS SEARCHED								
	Minimum Documentation Searched 7							
Classification	Classification System Classification Symbols							
	Classification Symbols							
IPC5	A 61 K; A 61 L							
	Documentation Searched other to the Extent that such Documents	than Minimum Documentation are Included in the Fields Searched						
III. DOCU	MENTS CONSIDERED TO BE RELEVANT							
Category *	Citation of Document, 11 with Indication, where app		Relevant to Claim No. 13					
P,Y	EP, A2, 0312208 (ETHICON INC.) see page 3, lines 36-43; pa 14-59		1-5					
								
Y	EP, A2, 0137743 (ED. GEISTLICH CHEMISCHE INDUSTRIE) 17 Apr see page 3, paragraph 4; cl	1-5						
	· 							
Y	DE, A1, 3744289 (POLITECHNIKA L 14 July 1985, see the whole document	1-5						
!								
			<u> </u>					
			<u> </u>					
"A" doc	el categories of cited documents: 19 cument defining the general state of the art which is not isolared to be of particular relevance lier document but published on or after the international	"T" later document published after the or priority date and not in conflicted to understand the principle invention	ct with the application but or theory underlying the					
filin	ng data cument which may throw doubts on priority claim(s) or	"X" document of particular relevant cannot be considered novel or involve an inventive step						
whi	ich is cited to establish the publication date of another	"Y" document of particular relevant						
"P" document published prior to the international filing date but								
	later than the priority date claimed "A" document member of the same patent family							
	IV. CERTIFICATION							
	8th December 1989 Date of the Actual Completion of the International Search 8th December 1989 Date of Mailing of this International Search Report 8th December 1989							
laters:::	A LE CARACTER A LA CARACTER A							
internation	EUROPEAN PATENT OFFICE Signature of Authoritis Officer T.IC. WILLIES							

Form PCT/ISA/210 (second sheet) (January 1985)

International Application No. PCT/GB 89/01184

atagory *	Citation of Document, with indication, where appropriate, of the relevant passages	PREET)
1	1	Relevant to Claim No
Y į	EP, A2, 0272149 (COLOPLAST A/S) 22 June 1986, see column 6, lines 4-45	1-5
'	GB, A, 2146335 (EJ ASSOCIATES INC) 17 April 1985,	. 1-5
	see page 3, lines 24-28, claims 7 and 12	
,	ED A2 0267015 (ETHICON THE) 11 M 2000]
-	EP, A2, 0267015 (ETHICON INC) 11 May 1988, see the whole document	1-5
		
	 ,	
-		
j		

Form PCT/ISA/210 (extra sheet) (January 1985)

ANNEX TO THE INTERNATIONAL SEARCH REPORT ON INTERNATIONAL PATENT APPLICATION NO. .PCT/GB 89/01184

SA

31524

This annex lists the patent family members relating to the patent documents eited in the above-mentioned international search report. The members are as contained in the European Patent Office FDP file on 08/11/89. The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent document cited in search report	Publication date	Patent family member(s)		Publication date	
EP-A2- 0312208	14/04/89	AU-D-	22235/88	23/03/89 .	
EP-A2- 0137743	17/04/85	JP-A- AU-D-	60081131 32981/84	09/05/85 11/09/86	
DE-A1- 3744289	14/07/85	GB-A-	2200643	10/08/88	
EP-A2- 0272149	22/06/86	NONE			
GB-A- 2146335	17/04/85	NONE			
EP-A2- 0267015	11/05/88	US-A- AU-D- JP-A-	4717717 80641/87 63152324	05/01/88 12/05/88 24/06/88	